







Thread Tools ♥ Search this Thread ♥ Rate Thread ♥

1 04-18-2012, 12:12 AM

bigbadvoodooguru



Drives: 2009 CW 2door 5speed Rabbit Join Date: Jul 2009 Location: Trabuco Canyon, CA Posts: 1,103

DIY illuminated door handles for \$3

You are responsible for doing stuff to your own car... blah blah. This is NOT an OEM installation but it should (read: will) work on your car.

I happen to not like the way the oem illuminated **door** handles work, both in how they look and how they function (they turn on only and they stay on constantly even while driving. I think that is distracting, so I wired mine differently.

Some initial notes: I have puddle lights as well as **door** warning lights on my doors, which I made using a relay'ed circuit with my foc it is non-oem and non-oem wiring. They are all tied to my dome light and fade on and off with the dome light. The relay is switched be therefore shuts off the puddle lights, **door** warning lights, and now my illuminated **door** handles whenever the key is in the ignition. I just dim with the dome light (and turn on whenever the dome light is operated). I will give various tested examples of how you can we you please.


Materials:

- Two LEDs (I used red) and bought them prewired with a resistor in it for around 70 cents plus a buck for shipping, so around \$3.
- Hot glue gun with glue
- Sharpie (black)
- Drill and drill bit (match the diameter of the LED)
- CAT5 cable or any other wire
- soldering iron
- heat shrink or electrical tape
- Wire stripper
- assorted torx screwdrivers to remove door panel
- 1) So remove the door panel. There are other DIYs for this, but it is relatively easy and takes about 2 minutes.
- 2) Remove the door handle (there are two silver screws, then you pop all the little tabs and pop it out. Make sure you unplug the un
- 3) Now you have the door handle separated, use the drill bit and drill a hole about here:



The hole should be sized so the LED fits in it relatively snug. When you drill ANGLE THE DRILL so the led goes in AT AN ANGLE and is opposite upper corner of the **handle** opening. In the above picture I am talking about the corner on the RIGHT of the picture that is c the drill so it is also pointing TOWARD the BACK of the **handle** you will get more light IN the **handle** and less light leakage outside it.

4) Grab the LED, bend it slightly so it matches the direction you want it to point (toward that corner, inward)




5) Put it in the hole you drilled, position it appropriately. I let mine stick out about a millimeter or so into the **handle**. Hot glue the su





6) I used CAT5 cable twisted pairs, but you can use any wire really. You just need a pair for each **door** (ground and power). Strip the which one goes to ground and power, solder them to the LED power leads.



7) Now reinstall them into the **door**, run the wire through the looms in the **door** until they reach that large plug on the harness. Migh it down so it doesn't rattle or whatever.

8) Here you have some wiring choices.

You can make them turn on with "illumination" meaning with your headlights and they will always be on with your headlights.

- Instead of running the wires to the large plug, run it to the plug that goes into the lock/unlock switch (you unplugged it earlier). Use figure out which wire is ground, and which wire gets 12v (or less depending on your dimmer setting) when the HEADLIGHTS turn on. "illumination" wire. Tap the wires into the harness however you see fit (cut/splice, T-tap, just strip the wire and push it into the plug a doesn't fall out... whatever).

You can make them turn on as Puddle Lights meaning they will turn on when you unlock the vehicle, and stay on until you put the ke - Use PIN 10 on the plug for 12v+, use the large brown wire as ground. http://www.my-gti.com/2084/adding-do...golf-and-jetta


- You DO need to vagcom this setting on. Follow the vagcom procedure on the above website.


You can make them turn on as "illuminated **door** handles" but I am not entirely sure this works without the oem day/night sensor. Fe break anything.


- Use PIN 17 on the plug for 12v+, use the large brown wire as ground http://www.my-gti.com/2249/adding-in...nd-jetta-front
- You DO need to vagcom this setting on. Follow the vagcom procedure on the above website. I do not know if this wiring works with sensor, but you can try.

For all the above wiring, you can splice/solder/T-tap/or just strip the end, push it into the plug, and zip tie the wire in place. It really

- 9) Okay so turn the LEDs on however you wired it, you will notice some light spilling out of the **door** pocket and possibly illuminating not. Use a black sharpie and poke around at the LED and find the places that need to be "blacked out" so the light does not illuminate illuminated. Use the sharpie to black/darken those parts of the LED.
- 10) Put the **door** back together. Don't forget to plug the lock/unlock switch back in, the speaker, the large plug, the **door** actuator ro other plugs you have in there. Close it all up and then you get this:








These only come on when the dome light is ON and the key is NOT in the ignition. So when I stop and turn the car off, they turn on. I approaching the vehicle, unlock the car, open the **door** and get in, they are on until I put the key in. This is also how my **door** warnir work as well. Footwell lights are just on whenever the dome light is on (does not depend on the key).

Feel free to ask any questions.



2009 CW 2door 5speed Rabbit (Sold) 1991 MR2 Turbo (For Sale) 2006 AMG SLK 55





Coastie3708 Touring Car Newbie

Drives: White chipped MkV Join Date: Mar 2008 Location: Tustin, Ca Posts: 201

Off Bryan and Myford (roughly) so I am not too far from Trabuco Canyon at all.

#<u>7</u>







1 04-18-2012, 01:41 AM

<u>bigbadvoodooguru</u>



Drives: 2009 CW 2door 5speed Join Date: Jul 2009 Location: Trabuco Canyon, CA Posts: 1,103

Oh was wondering if you're the gti I see in my complex. I live in those houses built in the old tustin base. Between edinger and barranca. I guess I'd be down for another install but I'd have to charge for it to be fair. It is really not that difficult to

Sent from my touchpad



2009 CW 2door 5speed Rabbit (Sold) 1991 MR2 Turbo (For Sale) 2006 AMG SLK 55







#<u>8</u>

#<u>9</u>

1 04-18-2012, 01:44 AM

Coastie3708

Touring Car Newbie

Drives: White chipped MkV Join Date: Mar 2008 Location: Tustin, Ca Posts: 201



As of now I haven't had my car for about a month and a half now. It's at my buddies shop getting fixed. I got rear ended at a stop by a guy doing 50 and then pushed into the car in front of me. New thunderbunny kit, HID headlights and a few minor pieces and I will be as good as new. :) Should have her by the end of the week.



04-18-2012, 01:46 AM

<u>biqbadvoodooguru</u>



Drives: 2009 CW 2door 5speed Rabbit Join Date: Jul 2009 Location: Trabuco Canyon, CA Posts: 1,103

Sent from my touchpad



2009 CW 2door 5speed Rabbit (Sold) 1991 MR2 Turbo (For Sale) 2006 AMG SLK 55





04-19-2012, 02:59 AM

GO LAKERS

💠 виоте 💠 🖺

#10

<u>bigbadvoodooguru</u>

Drives: 2009 CW 2door 5speed

Just an updated note the light spread was bugging me and rather than use a Sharpie I am going to open it back up, file the led a bit, reangle it more toward the back, and see if that helps. If you can't get the Sharpie to work use something that is opaque like paint, tape, or a Sharpie. Only reason I say this is because with a Sharpie I am getting a slight glow on the a pillar which is bugging me.

sent from my touchpad

Join Date: Jul 2009 Location: Trabuco Canyon, CA Posts: 1,103



2009 CW 2door 5speed Rabbit (Sold) 1991 MR2 Turbo (For Sale) 2006 AMG SLK 55





#<u>11</u>

■ 04-19-2012, 05:48 AM **Elliott** Formula 3000 Driver

Join Date: Jun 2008 Location: Scottish but live in Spain. Posts: 3,981



1 04-19-2012, 08:00 AM

More pics of it in general In the car please and not so much a close up of the handle, but Just to see how it flows. It does look good though just not sure of I really want it or not.. I think I'd rather the bulb being at the top rather than the botto so it's not visible to the eye. Good Job either way though.

Nuespeed intake & CF engine cover.Forge short shift kit, VOvalve & Twintercooler. Miltek catbak. 3" DP.FK

Silverlines.Newsouth dashpod-Boost,oil p & oil t Gauges. GIAC Remap ST2.THS full motor & transmition mounts.Porpoise

.My job is alloy wheel refurbishment so if anyone has any questions, ask away. Check out my Facebook work page WheelFixItSpain.com. In show your support.



#<u>12</u>

<u>bigbadvoodooguru</u>

Drives: 2009 CW 2door 5speed Join Date: Jul 2009 Location: Trabuco Canyon, CA Posts: 1,103

You would see it from a seated position if it was on top. You can literally only see the led if you bend over the windshield a peer down at the handle. Or pull the handle and look around it of course.

sent from my touchpad





2009 CW 2door 5speed Rabbit (Sold) 1991 MR2 Turbo (For Sale) 2006 AMG SLK 55



















Originally Posted by SwedishK D

VW should take note on this... I could see this on a future Audi

No MSG







Posting Rules

You may post new threads
You may post replies
You may post attachments
You may edit your posts

BB code is On
Smilles are On
IIMG1 code is On
HTML code is Off

Forum Rules





All times are GMT -4. The time now is $01:47\ \text{PM}$.

Contact Us - VW GTI Forum / VW Rabbit Forum / VW R32 Forum / VW Golf Forum - Golfmkv.com - Archive - Top

Powered by vBulletin® Version 3.8.0 Copyright ©2000 - 2013, Jelsoft Enterprises Ltd.