#<u>1</u>

GOLFMKV GOLFMKV

FORUM OPTION

User CP Timeslips Members List New Posts

MYGOLF garage Search Community Quick Links

PRIVATE MESSAGES

Thread Tools V

Welcome, LateAPXR. /// Log Out Private Messages: Unread 0, Total 45.

VW GTI Forum / VW Rabbit Forum / VW R32 Forum / VW Golf
Forum - Golfmkv.com > Technical Discussions > DIY +
Maintenance + Tips/Tricks

DIY: OEM Roller Blind - Rear Hatch 1K0 064 360







12-07-2008, 04:17 AM



Drives: 2009 CW Join Date: Sep 2008 Location: socal Posts: 56

DIY: OEM Roller Blind - Rear Hatch 1KO 064 360

This is my contribution to this great forum:

I searched all over this forum, and others, and the net in general and cannot find anything indepth regarding this item. So i decided to try my luck and go ahead and do it by myself. I ordered mine from WW Parts Department.

I got the package over thanksgiving weekend. I noticed that the box is kinda crumpled and all. And when I opened the package, I instantly noticed that the roller blind is broken, and the other things that should be included were missing. And since its saturday that time, i just email them regarding this issue. I also called them up on monday, and was able to speak with Tim in parts. They were sorry for the incident, and said they will ship a new roller blind and told me to expect it on friday.

So friday came and I got the package. And it's not broken and none of the other stuff is missing. So i decided to snap a few pics and share the install with you guys:

1. Pics of the box/label








2. Contents aside from the roller blind itself, these items should also be included in the box + the instruction sheet (missing from 1st package sent to me)



3. This was the part that was broken in the 1st package no picture of actual broken part, but you guys can imagine what it looked like the plastic part at the end is completely broken-off from the metal tube of the roller blind



4. Install: bolt the 2 bolts should be inserted in the inner rails at the bottom of the roller blind, one at each end



5. Install: hook the hook should be attached in the inner edge of the rubber gasket/seal



using a screwdriver wedged in between will make this easier



it should be placed lateral to the groove, on each side



6. Install: Making a hole 20mm /35mm is the point wherein the hole has to be made the reference point is the hole from the string attachment



view of the underside, with the bolt thru the hole



view of the underside, with the nut/washer attached to the bolt



7. View of the roller blind - left side



View of the roller blind - right side $% \left(1\right) =\left(1\right) \left(1\right) \left$



8. Complete: roller blind down



9. Complete: roller blind up




10. Upclose view of the hook + roller blind loop



11. String attached to the rear hatch + roller blind up



12. Views from the inside






13. Upclose view from the inside there's a strip of grey foam at the bottom of the metal part of the roller blind



I'll take some pictures of the outside rear of the car, with the roller blind up to see if it's noticeable from outside.

all in all, it took me about 10mins.

next project is this: Sun Shade (Rear Side) 4 Door 1K5 064 362



« Previous Thread | Next Thread »





All times are GMT -5. The time now is $06:38\ PM$.

Contact Us - VW GTI Forum / VW Rabbit Forum / VW R32 Forum / VW Golf Forum - Golfmkv.com - Archive - Top

Powered by vBulletin® Version 3.8.0 Copyright ©2000 - 2013, Jelsoft Enterprises Ltd.