

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:17	04.12.2006		ETKA
GO	2007	4	07	407-00	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		track control arm wheel bearing housing stabilizer	front		BGP,BGQ
(1A)	1K0 407 151 AA	track control arm	left	1	
(1A)	1K0 407 152 AA	track control arm	right	1	
2A	1K0 407 182	bonded rubber mounting		2	
(3A)	1K0 199 231 J	bracket	left	1	
(3A)	1K0 199 232 J	bracket	right	1	
4	N 101 410 01	bolt, hex. hd. (combi.)	M12X1,5X110	2	
5	N 105 797 01	bolt, hex. hd. with shoulder	M10X76	4	
6A	1K0 407 255 N	wheel bearing housing	left	1	PR-1ZP
(6A)	1K0 407 256 N	wheel bearing housing	right	1	PR-1ZP
(7)	1K0 407 365 C	ball joint	left	1	
(7)	1K0 407 366 C	ball joint	right	1	
8	N 909 429 01	hex. nut, self-locking	M12X1,5	2	
9	N 103 320 01	shouldered hex. nut	M10	6	
10	N 906 350 01	hex. nut, self-locking	M12X1,5	2	
11	4D0 505 445	ball screw	M12X1,5X45	X	
12		shock absorber see illustration:	411-00		
13	N 909 548 01	innensechsrund-linsenschraube	M12X1,5X80	2	
14	N 101 064 02	shouldered hex. nut, self-locking	M12X1,5	2	
15	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
(16)	1K0 411 303 AK	stabilizer, complete marked with:	22,5X3,5 blue	1	PR-0AD
17	1K0 411 315 D	connecting link		2	
18	N 015 081 4	shouldered hex. nut	M12X1,5	2	
18A	N 015 081 4	shouldered hex. nut	M12X1,5	2	
19	N 910 734 01	bolt, hex. hd. with shoulder	AM8X75-TC-TM	4	
20	1T0 498 621	wheel bearing with mounting parts		2	PR-1ZP

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:17	04.12.2006		ETKA
GO	2007	4	07	407-00	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
22		bracket	see illustration:	199-20							
23		sub-frame	see illustration:	199-20							
24	N 910 398 01	bolt, hex. hd. with shoulder	M12X1,5X90	2							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:17	04.12.2006		ETKA
GO	2007	4	07	407-02	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		track control arm wheel bearing housing stabilizer	front		front drive+ GTI
(1A)	1K0 407 151 AA	track control arm	left	1	
(1A)	1K0 407 152 AA	track control arm	right	1	
(2A)	1K0 407 182	bonded rubber mounting		2	
(3A)	1K0 199 231 J	bracket	left	1	
(3A)	1K0 199 232 J	bracket	right	1	
4	N 101 410 01	bolt, hex. hd. (combi.)	M12X1,5X110	2	
5	N 105 797 01	bolt, hex. hd. with shoulder	M10X76	4	
6A	1K0 407 255 N	wheel bearing housing	left	1	PR-1LL,1LV
(6A)	1K0 407 256 N	wheel bearing housing	right	1	PR-1LL,1LV
(7)	1K0 407 365 C	ball joint	left	1	
(7)	1K0 407 366 C	ball joint	right	1	
8	N 909 429 01	hex. nut, self-locking	M12X1,5	2	
9	N 103 320 01	shouldered hex. nut	M10	6	
10	N 906 350 01	hex. nut, self-locking	M12X1,5	2	
11	4D0 505 445	ball screw	M12X1,5X45	8	
12		shock absorber see illustration:	411-02		
13	N 909 548 01	innensechsrund-linsenschraube	M12X1,5X80	2	
14	N 101 064 02	shouldered hex. nut, self-locking	M12X1,5	2	
15	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
(16)	1K0 411 303 R	stabilizer, complete marked with:	23,6X3,5 green	1	PR-0AE
17	1K0 411 315 D	connecting link		2	
18	N 015 081 4	shouldered hex. nut	M12X1,5	2	
18A	N 015 081 4	shouldered hex. nut	M12X1,5	2	
19	N 910 734 01	bolt, hex. hd. with shoulder	AM8X75-TC-TM	4	
20	1T0 498 621	wheel bearing with mounting parts		2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:17	04.12.2006	 ETKA
GO	2007	4	07	407-02	Rabbit/GTI	597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
22		bracket	see illustration:								
23		sub-frame	see illustration:								
24	N 910 398 01	bolt, hex. hd. with shoulder	M12X1,5X90	2							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-78	Rabbit/GTI	597	USA			

The diagram illustrates the assembly of a front drive shaft. The main shaft (1) is shown with various components labeled with numbers. The components are as follows:

- 1: Drive shaft
- 2: Bolt, hex. hd. (combi.)
- 3: Bolt, with polygon socket hd.
- 4: Plate
- 5: Cover for joint shaft
- 6: Screw, hex. hd.
- 10: Sealing washer
- 11: Circlip
- 12: Concave washer (internal teeth)
- 13: Clip
- 14: Clip
- 15: Clip
- 16: Concave washer
- 17: Thrust ring
- 18: Circlip
- 20: Constant velocity joint with boot, attachment parts and grease
- 21: CV boot with attachment parts and grease
- 22: CV boot with attachment parts and grease
- 23: Wheel shaft outer with joint and attachment parts
- 30: Grease
- 31: Grease

Pos	Part Number	Name	Remarks	Qty	Model
		drive shaft for 5 speed manual transmiss.	front		BGP,BGQ
1	1K0 407 271 BL	drive shaft with constant velocity joints	left	1	
(1)	1K0 407 272 EB	drive shaft with constant velocity joints	right	1	
2	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
3	N 911 082 01	bolt, with polygon socket hd.	M8X48	12	
4	8E0 407 357	plate		6	
5	1J0 407 721 C	cover for joint shaft	right	1	
6	N 100 111 05	screw, hex. hd.	M10X28	2	
10	* 8D0 407 309	sealing washer	90MM	2	
11	* 113 517 279	circlip	24,5X2	2	
12	* 113 501 327 A	concave washer (internal teeth)		2	
13	+ N 904 425 01	clip	32X10X0,8	2	
14	+ N 904 425 01	clip	32X10X0,8	2	
15	* N 907 724 01	clip	92,5X10X1	2	
16	* 321 407 287	concave washer		2	
17	* 321 407 295 A	thrust ring	25,1X6,95	2	
18	* 171 407 297 C	circlip		2	
20	1K0 498 103	constant velocity joint with boot, attachment parts and grease	inner	2	
(20)	1K0 498 103 X	constant velocity joint with boot, attachment parts and grease	inner	2	
21	1K0 498 201	cv boot with attachment parts and grease	inner	2	
22	1K0 498 203	cv boot with attachment parts and grease	outer	2	
23	1K0 498 099	wheel shaft outer with joint and attachment parts		2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006	 ETKA
GO	2007	4	07	407-78	Rabbit/GTI	597	USA		

Pos	Part Number			Name	Remarks	Qty	Model	Pos	Part Number			Name	Remarks	Qty	Model
(23)	1K0	498	099	X	wheel shaft outer with joint and attachment parts	2									
30	*	G	052	738	A2	grease for constant velocity joint							120G outer	X	
(30)	*	G	052	133	A3	high temperature grease							120G inner	X	
31	D	454	300	A2	sealant								125G inner	X	


Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-80	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		drive shaft for 6 speed manual transmiss.	front		BPY
1	1K0 407 271 EE	drive shaft with constant velocity joints	left	1	
(1)	1K0 407 451 TX	drive shaft with constant velocity joints	left	1	
(1)	1K0 407 272 JB	drive shaft with constant velocity joints	right	1	
(1)	1K0 407 454 GX	drive shaft with constant velocity joints	right	1	
2	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
3	N 909 911 02	bolt, with polygon socket hd.	AM10X52	12	
4	443 407 357 B	plate		6	
5	1J0 407 721 G	shield	right	1	
6	N 100 111 05	screw, hex. hd.	M10X28	2	
10	* 1J0 407 115 H	sealing cap	inner	2	
11	* 1K0 407 298 A	lock ring	28X1,5	2	
12	* N 909 473 01	clip	75X10X1	2	
13	* N 106 091 01	hose clip	34,7X10X0,8	2	
14	* N 106 091 01	hose clip	34,7X10X0,8	2	
15	* N 906 307 01	retaining clip	102,5X10X1	2	
16	* 1J0 407 287	concave washer		2	
17	* 1J0 407 295	thrust ring	29,7X12,5	2	
18	* 1J0 407 297	lock ring		2	
20	1K0 498 103 A	constant velocity joint with boot, attachment parts and grease	inner	2	
(20)	1K0 498 103 AX	constant velocity joint with boot, attachment parts and grease	inner	2	
21	1K0 498 201 A	cv boot with attachment parts and grease	inner	2	
22	1K0 498 203 A	cv boot with attachment parts and grease	outer	2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-80	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
23	1K0 498 099 B	wheel shaft outer with joint and attachment parts		2							
(23)	1K0 498 099 BX	wheel shaft outer with joint and attachment parts		2							
30	* G 052 181 A3	high temperature grease	120G	X							
31	D 454 300 A2	sealant	125G inner	X							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-82	Rabbit/GTI	597	USA			

					Pos	Part Number	Name	Remarks	Qty	Model
							drive shaft for 6 speed automatic transm.	front		BPY
					1	1K0 407 271 EE	drive shaft with constant velocity joints	left	1	
					(1)	1K0 407 451 TX	drive shaft with constant velocity joints	left	1	
					(1)	1K0 407 272 KJ	drive shaft with constant velocity joints	right	1	
					(1)	1K0 407 454 NX	drive shaft with constant velocity joints	right	1	
					2	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
					3	N 909 911 02	bolt, with polygon socket hd.	AM10X52	12	
					4	443 407 357 B	plate		6	
					5	1K0 407 721 A	cover for joint shaft	right	1	
					6	N 100 111 05	screw, hex. hd.	M10X28	3	
					10	* 1J0 407 115 H	sealing cap	inner	2	
					11	* N 012 374 1	lock ring	28X1,5	2	
					12	* N 909 473 01	clip	75X10X1	2	
					13	* N 106 091 01	hose clip	34,7X10X0,8	2	
					14	* N 106 091 01	hose clip	34,7X10X0,8	2	
					15	* N 906 307 01	retaining clip	102,5X10X1	2	
					16	* 1J0 407 287	concave washer		2	
					17	* 1J0 407 295	thrust ring	29,7X12,5	2	
					18	* 1J0 407 297	lock ring		2	
					20	1K0 498 103 A	constant velocity joint with boot, attachment parts and grease	inner	2	
					(20)	1K0 498 103 AX	constant velocity joint with boot, attachment parts and grease	inner	2	
					21	1K0 498 201 A	cv boot with attachment parts and grease	inner	2	
					22	1K0 498 203 A	cv boot with attachment parts and grease	outer	2	


Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-82	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
23	1K0 498 099 B	wheel shaft outer with joint and attachment parts		2							
(23)	1K0 498 099 BX	wheel shaft outer with joint and attachment parts		2							
30	* G 052 181 A3	high temperature grease	120G	X							
31	D 454 300 A2	sealant	125G inner	X							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	07	407-84	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model
		drive shaft for 6 speed automatic transm.	front		BGP,BGQ
1	1K0 407 271 BP	drive shaft with constant velocity joints	left	1	
(1)	1K0 407 272 EF	drive shaft with constant velocity joints	right	1	
2	N 910 406 01	bolt, hex. hd. (combi.)	M16X1,5X80X61	2	
3	8N0 407 297	lock ring	27X2,5	2	
4	1J0 407 721 C	cover for joint shaft		1	
5	N 100 111 05	screw, hex. hd.	M10X28	2	
10	* N 910 921 01	lock ring	24X1,2	2	
11	* N 105 997 01	hose clip	89,5X9X0,6	2	
12	+ N 904 425 01	clip	32X10X0,8	2	
13	* N 105 771 01	hose clip	36,1X7X0,7	2	
14	* N 907 724 01	clip	92,5X10X1	2	
15	* 321 407 287	concave washer		2	
16	* 321 407 295 A	thrust ring	25,1X6,95	2	
17	* 171 407 297 C	circlip		2	
20	1KM 498 103	constant velocity joint with boot, attachment parts and grease	inner	2	
21	1KM 498 201	cv boot with attachment parts and grease	inner	2	
22	1K0 498 203 A	cv boot with attachment parts and grease	outer	2	
23	1KM 498 099	wheel shaft outer with joint and attachment parts		2	
30	* G 052 738 A2	grease for constant velocity joint	120G outer	X	
(30)	* G 052 186 A3	grease for triple roller joint	140G inner	X	
31		not a spare part for this model			


Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	09	409-20	Rabbit/GTI	597	USA			

					
Pos	Part Number	Name	Remarks	Qty	Model
		differential flange shaft for 5 speed manual transmiss.			HGR
1	0A4 409 021 E	differential	62/17	1	
2	096 323 981	taper roller bearing	41X68X17,5	1	
3	096 323 981	taper roller bearing	41X68X17,5	1	
4	02S 498 081 A	1 set of differential pinions	ball:84mm	1	
4A	N 905 387 01	expansion pin	5,4X28,5	1	
5	02A 409 210	adjusting washer	0,65	X	
(5)	02A 409 210 A	adjusting washer	0,7	X	
(5)	02A 409 210 B	adjusting washer	0,75	X	
(5)	02A 409 210 C	adjusting washer	0,8	X	
(5)	02A 409 210 D	adjusting washer	0,85	X	
(5)	02A 409 210 E	adjusting washer	0,9	X	
(5)	02A 409 210 F	adjusting washer	0,95	X	
(5)	02A 409 210 G	adjusting washer	1	X	
(5)	02A 409 210 H	adjusting washer	1,05	X	
(5)	02A 409 210 J	adjusting washer	1,1	X	
(5)	02A 409 210 K	adjusting washer	1,15	X	
(5)	02A 409 210 L	adjusting washer	1,2	X	
(5)	02A 409 210 M	adjusting washer	1,25	X	
7		not a spare part			
8	02J 409 189 A	seal	left	1	
8A		not a spare part			
8B	02J 409 528 A	seal	right	1	
8D	G 052 128 A1	sealing grease for seal	50G	1	
9	02A 409 343 C	flange shaft	D=100MM	1	
10	02A 409 343 C	flange shaft	D=100MM	1	
11	084 409 379	pressure spring		2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006	 ETKA
GO	2007	4	09	409-20	Rabbit/GTI	597	USA		

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
12	02J 409 378	thrust washer		2							
13	020 409 374	tapered ring		2							
14	N 905 645 01	circlip	28,5	2							
15	02J 409 359	bolt, with hex. socket hd.	83MM	2							
16		see illustration:	301-40								

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	09	409-30	Rabbit/GTI	597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		differential flange shaft for 6 speed manual transmiss.			GVT
(1)	02Q 409 021 H	differential	71/18/23	1	GVT, JLW
2	02M 517 185 A	taper roller bearing	48X76X18	1	
3	>02Q 498 081	1 set of differential pinions	ball:92mm	1	
4	* N 909 737 01	expansion pin	5,4X35	1	
5	002 517 185 A	taper roller bearing	46X75X18	1	
6	02Q 409 208	washer	54X76	1	
7	02B 409 210	adjusting washer	0,65	X	
(7)	02B 409 210 A	adjusting washer	0,7	X	
(7)	02B 409 210 B	adjusting washer	0,75	X	
(7)	02B 409 210 C	adjusting washer	0,8	X	
(7)	02B 409 210 D	adjusting washer	0,85	X	
(7)	02B 409 210 E	adjusting washer	0,9	X	
(7)	02B 409 210 F	adjusting washer	0,95	X	
(7)	02B 409 210 G	adjusting washer	1	X	
(7)	02B 409 210 H	adjusting washer	1,05	X	
(7)	02B 409 210 J	adjusting washer	1,1	X	
(7)	02B 409 210 K	adjusting washer	1,15	X	
(7)	02B 409 210 L	adjusting washer	1,2	X	
(7)	02B 409 210 M	adjusting washer	1,25	X	
10	02M 409 343 D	flange shaft	left	1	
11	N 906 353 01	lock ring	30,5X1,5	2	
12	02M 409 374 A	tapered ring		2	
13	02M 409 378 A	thrust washer	32X47	2	
14	084 409 379	pressure spring		2	
15	02M 409 375	protective ring		1	
19	02Q 409 344	flange shaft	right	1	
24	02Q 409 375 A	protective ring		1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006	 ETKA
GO	2007	4	09	409-30	Rabbit/GTI	597	USA		

ETKA

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
30	02J 409 359	bolt, with hex. socket hd.	83MM	2							
40		see illustration:	301-45								

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	11	411-00	Rabbit/GTI	597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		suspension shock absorber	front		
(1)	1K0 411 105 AP	coil spring 1 paint mark 2 paint marks 1 paint mark also marked with: 4 paint marks 1 paint mark	blue orange green grey white	2	PR-2UA+L06
(1)	1K0 411 105 AQ	coil spring 1 paint mark 1 paint mark 1 paint mark also marked with: 1 paint mark 4 paint marks	violet orange blue grey blue	2	PR-2UA+L07
(1)	1K0 411 105 BC	coil spring 1 paint mark 1 paint mark 2 paint marks also marked with: 4 paint marks 1 paint mark	violet orange blue grey blue	2	PR-2UA+L13
(1)	1K0 411 105 BD	coil spring 2 paint marks 2 paint marks also marked with: 1 paint mark 1 paint mark	violet white grey brown	2	PR-2UA+L14
(1)	1K0 411 105 BJ	coil spring 1 paint mark 1 paint mark 1 paint mark also marked with: 2 paint marks 2 paint marks	red blue white grey brown	2	PR-2UA+L19
(1)	1K0 411 105 BQ	coil spring 1 paint mark 1 paint mark 1 paint mark also marked with: 2 paint marks 2 paint marks	violet white green orange white	2	PR-2UA+L25
(3)	1K0 412 303 B	rubber stop for shock absorber	70MM	2	PR-G07+2UA
4	1K0 412 331 B	suspension strut mounting		2	
5	N 910 216 01	shouldered hex. nut	M14X1,5	2	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:18	04.12.2006		ETKA
GO	2007	4	11	411-00	Rabbit/GTI	597	USA			


Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
6	1J0 412 359	cap		2							
7	+ N 101 277 06	bolt, hex. hd. with shoulder	M8X26	6							
(8)	1T0 413 031 DP	gas-filled shock absorber		1	PR-G07+2UA+ L06,L07						
(8)	1T0 413 031 DN	gas-filled shock absorber		2	PR-G07+2UA+ L13,L14,L19, L25						
9	6N0 413 175 A	boot		2							
10	N 909 548 01	innensechsrund-linsenschraube	M12X1,5X80	2							
11	N 101 064 02	shouldered hex. nut, self-locking	M12X1,5	2							
12		wheel bearing housing see illustration:	407-..	2							

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:19	04.12.2006		ETKA
GO	2007	4	11	411-02	Rabbit/GTI	597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
1	1K0 411 105 CG	suspension shock absorber	front	2	front drive+ GTI
2	6N0 412 249 C	coil spring	red	2	PR-G11+L35
3	1K0 412 303 B	2 paint marks	grey	2	
4	1K0 412 331 B	ball bearing		2	
5	N 910 216 01	rubber stop for shock absorber	70MM	2	PR-G11
6	N 101 277 06	suspension strut mounting		2	
7	1T0 413 031 EQ	shouldered hex. nut	M14X1,5	2	
8	6N0 413 175 A	bolt, hex. hd. with shoulder	M8X26	6	
9	N 909 548 01	gas-filled shock absorber		2	PR-G11
10	N 101 064 02	boot		2	
11		innensechsrund-linsenschraube	M12X1,5X80	2	
12		shouldered hex. nut, self-locking	M12X1,5	2	
		wheel bearing housing	407-02		
		see illustration:			

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:19	04.12.2006		ETKA
GO	2007	4	19	419-20	Rabbit/GTI	597	USA			




Pos	Part Number	Name	Remarks	Qty	Model
		steering wheel			
2	1K0 419 091 AN	mult.steering wheel (leather)		1	GTI PR-2FN
	06/05 TDL	satin black/alum			
(2)	1K0 419 091 BN	mult.steering wheel (leather)		1	
	06/05 VFT	satin black/alum			
(2)	1K0 419 091 BE	multi-function sport steering wheel (leather) for vehicles with tiptronic	GTI	1	PR-2FP
	06/05 TDL	satin black/alum			
4	N 907 991 01	bolt, with polygon socket hd.	M18X1,5X18	1	
(6)	1K0 419 685 A	emblem	lower	1	GTI
7		see illustration:	953-50		
8		see illustration:	953-50		
9		see illustration:	880-00		

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:19	04.12.2006		ETKA
GO	2007	4	19	419-30	Rabbit/GTI	597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		steering column			
1	1K1 419 502 R	steering column	lhd	1	
2 +	N 101 092 08	bolt, hex. hd. with shoulder	M8X30	4	
(3)	1K0 419 250 P	bracket for steering column		1	
4 +	N 101 092 08	bolt, hex. hd. with shoulder	M8X30	2	
5	1K1 419 293 G	cross support	lhd	1	
6	N 106 012 01	screw, hex. hd.	BM8X94X80	1	
7	N 909 915 01	screw, hex. hd.	AM8X48	1	
8	N 105 608 01	plug	A22	1	
9	N 010 335 17	screw, hex. hd.	M8X35	1	
10 +	N 101 208 03	bolt, hex. hd. with shoulder	M8X85	2	
11	1K0 419 378	handle		1	
12	N 105 447 02	innensechsrund-zyl.schraube	M6X10	2	
13		not a spare part for this model			

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:19	04.12.2006		ETKA
GO	2007	4	23	423-35	Rabbit/GTI	597	USA			



Pos	Part Number	Name	Remarks	Qty	Model
		steering gear tie rod see parts bulletin:	GENERATION II 4/35		
1	1K1 423 055 C	steering gear F >> 1K-6-250 000*	lhd	1	
(1)	#1K1 423 055 CX	steering gear F >> 1K-6-250 000*	lhd	1	
(1)	1K1 423 055 E	steering gear F 1K-6-250 001>>*	lhd	1	
3	N 909 501 01	round seal	60X2	1	
4	N 910 700 01	screw, cheese hd.	M8X30	4	
5	1K0 498 147 A	repair kit thrust piece	passenger side	1	
6	WHT 001 268	set screw	M38X1,5 passenger side	1	
7	N 907 615 01	sealing washer	34X3-N	2	
10	1K1 498 445 A	repair kit for steering pinion	lhd	1	
11	1K0 423 360	plug	M35X1,5	1	
12	WHT 000 119	lock nut	M10	1	
13	N 910 693 01	round seal	88X1,5	1	
14	N 909 136 01	screw, cheese hd.	M6X20	2	
15	1K1 498 619 A	harness	lhd	1	
20	1K0 498 148 A	repair kit thrust piece	drivers side	1	
21	1K0 423 273	set screw	drivers side	1	
22	1K0 423 359	plug		1	
25	1K0 423 810 A	tie rod		2	
27	1K0 498 969	repair kit steering gear		1	
28	1K0 423 831 A	boot		2	
30	1K0 423 812 A	tie rod end	marked with: right 'A'	1	
31	1K0 423 811 E	tie rod end	marked with: left 'B'	1	

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:19	04.12.2006		ETKA
GO	2007	4	23	423-35	Rabbit/GTI	597	USA			

Pos	Part Number	Name	Remarks	Qty	Model	Pos	Part Number	Name	Remarks	Qty	Model
32	N 011 164 15	hex. nut	M16X1,5X8	2							
35	+ N 908 349 01	retaining clip	55,5X7X0,6	2							
36	1K0 423 933	retaining clip	19,4-22,5	2							
40	N 906 350 01	hex. nut, self-locking	M12X1,5	2							
41	1K1 423 187	sealing washer	lhd	1							
(42)	1K2 423 875	clamp		1							
43	1K0 423 884 A	rubber mounting		1							
44	1K2 423 877	bracket		1							
45	N 105 797 01	bolt, hex. hd. with shoulder	M10X76	4							
46	1K0 423 121 A	threaded bushing	M10	2							
50	1K0 423 982	heatshield		1							
51	1K1 423 981 J	heatshield	lhd	1							
52	N 909 158 01	innensechsrund-zyl.schraube	M6X7-R	5							
55		see illustration:	971-70								



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:23	04.12.2006
GO	2007	4	98	498-00R	Rabbit/GTI	597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
	>>02Q 498 081	1 set of differential pinions	ball:92mm	1	
	>>1K0 498 099 B	wheel shaft outer with joint and attachment parts comprising:		2	
	>>1K0 498 099 BX	wheel shaft outer with joint and attachment parts comprising:		2	
	>>1KM 498 099	wheel shaft outer with joint and attachment parts comprising:		2	
	>>1K0 498 103	constant velocity joint with boot, attachment parts and grease comprising:	inner	2	
	>>1K0 498 103 X	constant velocity joint with boot, attachment parts and grease comprising:	inner	2	
	>>1KM 498 103	constant velocity joint with boot, attachment parts and grease comprising:	inner	2	
	>>1K0 498 103 A	constant velocity joint with boot, attachment parts and grease comprising:	inner	2	
	>>1K0 498 103 AX	constant velocity joint with boot, attachment parts and grease comprising:	inner	2	
	>>1K0 498 147 A	repair kit thrust piece comprising:	passenger side	1	
	>>1K0 498 148 A	repair kit thrust piece comprising:	drivers side	1	
	1K0 498 201 A	cv boot with attachment parts and grease comprising:	inner	2	
	1K0 498 203 A	cv boot with attachment parts and grease comprising:	outer	2	
	>>1K1 498 445 A	repair kit for steering pinion DREHMOMENTSENSOR comprising:	lhd	1	



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	22:23	04.12.2006
GO	2007	4	98	498-00R	Rabbit/GTI	597	USA	

Pos	Part Number	Name	Remarks	Qty	Model
	1K0 498 621	wheel bearing with mounting parts comprising:		2	
	>>1T0 498 621	wheel bearing with mounting parts comprising: comprising:		2	
	>>1K0 498 969	repair kit steering gear comprising:		1	